

**Serie | 2, Free-standing fridge-freezer
with freezer at bottom, 186 x 60 cm,
White
KGN34NWEAG**



**NoFrost bottomfreezer : no need to defrost
your freezer**

- **MultiBox:** transparent drawer with wave bottom, ideal for the storage of fruits and vegetables
- **Perfect Fit:** The appliance can be positioned right next to side walls and furniture - flexible installation possible
- LED lights bring a completely new lighting concept to fridges

Technical Data

Energy Efficiency Class (Regulation (EU) 2017/1369):	E
Average annual energy consumption in kilowatt hour per year (kWh/a) (EU) 2017/1369:	244
Sum of volume of frozen compartments (EU 2017/1369):	107
Sum of volume of chill compartments (EU 2017/1369):	193
Airborne acoustical noise emissions (EU 2017/1369):	42
Airborne acoustical noise emission class (EU 2017/1369):	D
Construction type:	Free-standing
Door panel options:	Not possible
Width of the appliance:	600
Depth of the product:	660
Net weight (kg):	63.849
Connection rating (W):	100
Current (A):	10
Door hinge:	Right reversible
Voltage (V):	220-240
Frequency (Hz):	50
Approval certificates:	CE, VDE
Length of electrical supply cord (cm):	240
Storage Period in Event of Power Failure (h):	12
Number of compressors:	1
Number of independent cooling systems:	1
Interior ventilator:	No
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment (Stck):	2
Shelves for Bottles:	No
Frost free system:	Fridge and freezer
Installation type:	N/A

Included accessories

3 x egg tray
1 x ice cube tray with lid



4 242005 196722

Serie | 2, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, White KGN34NWEAG

NoFrost bottomfreezer : no need to defrost your freezer

- KGN34NWEAG
- No Frost, Fridge freezer
- Cambered door, High-door design White

Design features

- White doors and white side panels
- Integrated horizontal handle
- Right hinged door, door reversible
- LED electronic control

Food freshness system

- 1 compressor

Key features - Fridge section

- 1 MultiBox - Transparent drawer with a rippled bottom, ideal for storing fruits and vegetables.
- MultiAirflow system - improves circulation of air around the fridge
- Bright interior LED fridge light
- 4 safety glass shelves (2 height adjustable)
- Door shelves in fridge door: 1 large and 2 small.

Key features - Freezer section

- No Frost, never have to defrost ever again
- 3 freezer drawers
- SuperFreezing function with automatic deactivation
- Calendar frozen food
- Freezer malfunction warning signal: optical and acoustical warning system

Additional features

- Optical and accoustical
- 3 x egg tray, 1 x ice cube tray

Dimension and installation

- Connection value 100 W
- 220 - 240 V
- Height adjustable front feet
- Dimensions: 186 cm H x 60 cm W x 66 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without


the distance holder is fully functional, but has a slightly higher energy consumption.

Functions

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 300 l
- Net Fridge Volume : 193 l
- Net Freezer Volume : 107 l
- Freezing capacity 24h : 12 kg
- Annual Energy Consumption: 244 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 42 dB
- Temperature rise time : EU19_Temperature rise time_D: 12 H

Serie | 2, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, White KGN34NWEAG




Appliance name	A	B	C	D
KGN33, 36, 39, 46, 49	0/65	20	590	125
KGF39, 49	0/65	20	590	125

Dimension A:
In models with vertical integrated handles, in order to open easily, a minimum distance of 65 mm is needed.

measurements in mm

Appliance name	a	b	c	d	e	f	g
KGN33 (inner handle)	1760	600	660	590	600	1210	12



Description
a Height
b Width
c Depth with door closed, without handle
d Cabinet depth
e Width with door opened to 90°
f Depth with door opened
g Air gap for installation in recess or fitted cabinet

measurements in mm